

# Data Mining II

## Optimization & Parameter Tuning



# Why Parameter Tuning?


- What we have seen so far
  - many learning algorithms for classification, regression, ...
- Many of those have parameters
  - $k$  and distance function for  $k$  nearest neighbors
  - splitting and pruning options in decision tree learning
  - hidden layers in neural networks
  - $C$ ,  $\gamma$ , and kernel function for SVMs
  - ...
- But what is their effect?
  - hard to tell in general
  - rules of thumb are rare

# Parameter Tuning – a Naive Approach

- You probably know that approach from the exercises
  1. run classification/regression algorithm
  2. look at the results (e.g., accuracy, RMSE, ...)
  3. choose different parameter settings, go to 1
- Questions:
  - when to stop?
  - how to select the next parameter setting to test?


# Parameter Tuning – Avoid Overfitting!

- Recap overfitting:
  - classifiers may overadapt to training data
  - the same holds for parameter settings
- Possible danger:
  - finding parameters that work well on the training set
  - but not on the test set
- Remedy:
  - train / test / validation split




# Parameter Tuning – Avoid Overfitting!



- Parameter option: pruning (yes/no)



(A) A partition of the data space




(B). The decision tree




# Parameter Tuning – Avoid Overfitting!

- Real example: train a local polynomial regression model
  - Parameter to tune: find the optimal maximum degree of the polynomial
- Tuning with proper validation: degree = 3



# Parameter Tuning – Avoid Overfitting!

- Real example: train a local polynomial regression model
  - Parameter to tune: find the optimal maximum degree of the polynomial
- Tuning overfitting: degree = 9



# Parameter Tuning: Brute Force

- Try all parameter combinations that exist
  - Consider, e.g., a k-NN classifier
    - try 30 different distance measures
    - try all k from 1 to 1,000
    - use weighting or not
      - 60,000 runs of k-NN
- we need a better strategy than brute force!



# Intermezzo: Beyond Parameter Tuning


- Parameter tuning is an optimization problem
- Finding optimal values for  $N$  variables
- Properties of the problem:
  - the underlying model is unknown
    - i.e., we do not know changing a variable will influence the results
  - we can tell how good a solution is when we see it
    - i.e., by running a classifier with the given parameter set
  - but looking at each solution is costly
    - e.g., 60,000 runs of k-NN
- Such problems occur quite frequently

# Intermezzo: Beyond Parameter Tuning

- Related problem:
  - feature subset selection
  - cf. Data Mining 2, first lecture
- Given  $n$  features, brute force requires  $2^n$  evaluations
  - for 20 features, that is already one million
    - ten million with cross validation



# Intermezzo: Beyond Parameter Tuning

- Knapsack problem
  - given a maximum weight you can carry
  - and a set of items with different weight and monetary value
  - pack those items that maximize the monetary value
- Problem is NP hard
  - i.e., deterministic algorithms require an exponential amount of time
  - Note: feature subset selection for  $N$  features requires  $2^n$  evaluations




# Intermezzo: Beyond Parameter Tuning

- Many optimization problems are NP hard
  - Routing problems (Traveling Salesman Problem)
  - Integer factorization
    - hard enough to be used for cryptography
  - Resource use optimization
    - e.g., minimizing cutoff waste
  - Chip design
    - minimizing chip sizes



# Intermezzo: Beyond Parameter Tuning

MY HOBBY:  
EMBEDDING NP-COMPLETE PROBLEMS IN RESTAURANT ORDERS



CHOTCHKIES RESTAURANT

~ APPETIZERS ~

MIXED FRUIT	2.15
FRENCH FRIES	2.75
SIDE SALAD	3.35
HOT WINGS	3.55
MOZZARELLA STICKS	4.20
SAMPLER PLATE	5.80

~ SANDWICHES ~

BARBECUE	6.55
----------	------



<http://xkcd.com/287/>


# Parameter Tuning: Brute Force

- Properties of Brute Force search
  - guaranteed to find the best parameter setting
  - too slow in most practical cases
- Grid Search
  - performs a brute force search
  - with equal-width steps on non-discrete numerical attributes (e.g., 10,20,30,...,100)
- Parameters with a wide range (e.g., 0.0001 to 1,000,000)
  - with ten equal-width steps, the first step would be 1,000
  - but what if the optimum is around 0.1?
  - logarithmic steps may perform better

# Parameter Tuning: Heuristics

- Properties of Brute Force search
  - guaranteed to find the best parameter setting
  - too slow in most practical cases
- Needed:
  - solutions that take less time/computation
  - and *often* find the best parameter setting
  - or find a *near-optimal* parameter setting

# Beyond Brute Force



<https://xkcd.com/399/>



# Parameter Tuning: One After Another

- Given  $n$  parameters with  $m$  degrees of freedom
  - brute force takes  $m^n$  runs of the base classifier
- Simple tweak:
  1. start with default settings
  2. try all options for the first parameter
    - 2a. fix best setting for first parameter
  3. try all options for the second parameter
    - 3a. fix best setting for second parameter
  4. ...
- This reduces the runtime to  $n*m$ 
  - i.e., no longer exponential!
  - but we may miss the best solution







# Parameter Tuning: Interaction Effects


- Interaction effects make parameter tuning hard
  - i.e., changing one parameter may change the optimal settings for another one
- Example: two parameters p and q, each with values 0,1, and 2
  - the table depicts classification accuracy

	p=0	p=1	p=2
q=0	0.5	0.4	0.1
q=1	0.4	0.3	0.2
q=2	0.1	0.2	0.7

# Parameter Tuning: Interaction Effects

- If we try to optimize one parameter by another (first  $p$ , then  $q$ )
  - we end at  $p=0, q=0$  in six out of nine cases
  - on average, we investigate 2.3 solutions

	$p=0$	$p=1$	$p=2$
$q=0$	0.5 	0.4 	0.1
$q=1$	0.4 	0.3 	0.2
$q=2$	0.1 	0.2 	0.7



# Hill-Climbing Search


- a.k.a. *greedy local search*
- always search in the direction of the steepest ascend
  - "Like climbing Everest in thick fog with amnesia"

```
function HILL-CLIMBING(problem) returns a state that is a local maximum
  inputs: problem, a problem
  local variables: current, a node
                  neighbor, a node

  current ← MAKE-NODE(INITIAL-STATE[problem])
  loop do
    neighbor ← a highest-valued successor of current
    if VALUE[neighbor] ≤ VALUE[current] then return STATE[current]
    current ← neighbor
```

# Hill-Climbing Search

- Problem: depending on initial state, one can get stuck in local maxima



# Hill Climbing Search

- Given our previous problem
  - we end up at the optimum in three out of nine cases
  - but the local optimum ( $p=0, q=0$ ) is reached in six out of nine cases!
  - on average, we investigate 2.1 solutions

	p=0	p=1	p=2
q=0	0.5	0.4	0.1
q=1	0.4	0.3	0.2
q=2	0.1	0.2	0.7

# Variations of Hill Climbing Search

- Stochastic hill climbing
  - random selection among the uphill moves
  - the selection probability can vary with the steepness of the uphill move
- First-choice hill climbing
  - generating successors randomly until a better one is found, then pick that one
- Random-restart hill climbing
  - run hill climbing with different seeds
  - tries to avoid getting stuck in local maxima

# Local Beam Search

- Keep track of  $k$  states rather than just one
- Start with  $k$  randomly generated states
- At each iteration, all the successors of all  $k$  states are generated
- Select the  $k$  best successors from the complete list and repeat





# Simulated Annealing

- Escape local maxima by allowing “bad” moves
  - Idea: but gradually decrease their size and frequency
- Origin: metallurgical annealing
- Bouncing ball analogy:
  - Shaking hard (= high temperature)
  - Shaking less (= lower the temperature)
- If  $T$  decreases slowly enough, best state is reached




# Simulated Annealing

```
function SIMULATED-ANNEALING( problem, schedule) return a solution state
  input: problem, a problem
         schedule, a mapping from time to temperature
  local variables: current, a node.
                   next, a node.
                   T, a “temperature” controlling the probability of downward steps

  current ← MAKE-NODE(INITIAL-STATE[problem])
  for t ← 1 to ∞ do
    T ← schedule[t]
    if T = 0 then return current
    next ← a randomly selected successor of current
    ΔE ← VALUE[next] - VALUE[current]
    if ΔE > 0 then current ← next
    else current ← next only with probability  $e^{\Delta E / T}$ 
```

# Genetic Algorithms

- Inspired by *evolution*
- Overall idea:
  - use a population of individuals (solutions)
  - create new individuals by crossover
  - introduce random mutations
  - from each generation, keep only the best solutions (“survival of the fittest”)
- Developed in the 1970s
- John H. Holland:
  - Standard Genetic Algorithm (SGA)



Charles Darwin (1809-1882)

# Genetic Algorithms


- Basic ingredients:
  - individuals: the solutions
    - parameter tuning: a parameter setting
  - a fitness function
    - parameter tuning: performance of a parameter setting (i.e., run learner with those parameters)
  - a crossover method
    - parameter tuning: create a new setting from two others
  - a mutation method
    - parameter tuning: change one parameter
  - survivor selection

# SGA Reproduction Cycle

1. Select parents for the mating pool  
(size of mating pool = population size)
2. Shuffle the mating pool
3. For each consecutive pair apply crossover with probability  $p_c$ ,  
otherwise copy parents
4. For each offspring apply mutation  
(bit-flip with probability  $p_m$  independently for each bit)
5. Replace the whole population with the resulting offspring

# SGA Operators: 1-point crossover

- Choose a random point on the two parents
- Split parents at this crossover point
- Create children by exchanging tails
- $P_c$  typically in range (0.6, 0.9)



# SGA Operators: Mutation

- Alter each gene independently with a probability  $p_m$
- $p_m$  is called the mutation rate
  - Typically between  $1/\text{pop\_size}$  and  $1/\text{chromosome\_length}$

parent


1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

child

0	1	0	0	1	0	1	1	0	0	0	1	0	1	1	0	0	1
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

# SGA Operators: Selection

- Main idea: better individuals get higher chance
  - Chances proportional to fitness
  - Implementation: roulette wheel technique
    - » Assign to each individual a part of the roulette wheel
    - » Spin the wheel n times to select n individuals



$\text{fitness}(A) = 3$

$\text{fitness}(B) = 1$

$\text{fitness}(C) = 2$



# Crossover OR Mutation?


- Decade long debate: which one is better / necessary ...
- Answer (at least, rather wide agreement):
  - it depends on the problem, but
  - in general, it is good to have both
  - both have another role
  - mutation-only-EA is possible, crossover-only-EA would not work

# Crossover OR Mutation? (cont'd)

- Exploration: Discovering promising areas in the search space, i.e. gaining information on the problem
- Exploitation: Optimising within a promising area, i.e. using information
- There is co-operation AND competition between them
  - Crossover is explorative, it makes a *big* jump to an area somewhere “in between” two (parent) areas
  - Mutation is exploitative, it creates random *small* diversions, thereby staying near (in the area of) the parent

# Crossover OR Mutation? (cont'd)

- Recall the solution space example from Hill Climbing
  - crossover makes big jumps
  - mutation makes small steps



# Crossover OR Mutation? (cont'd)

- Only crossover can combine information from two parents
- Only mutation can introduce new information (alleles)
- To hit the optimum you often need a 'lucky' mutation

# Genetic Feature Subset Selection

- Feature Subset Selection
  - can also be solved by Genetic Programming
- Individuals: feature subsets
- Representation: binary
  - 1 = feature is included
  - 0 = feature is not included
- Fitness: classification performance
- Crossover: combine selections of two subsets
- Mutation: flip bits

# Selecting a Learner


- So far, we have looked at finding good parameters for a learner
  - the learner was always fixed
- A similar problem is *selecting* a learner for the task at hand
- Again, we could go with *search*
- Another approach is *meta learning*

# Selecting a Learner by Meta Learning

- Meta Learning
  - i.e., *learning about learning*
- Goal: learn how well a learner will perform on a given dataset
  - features: dataset characteristics, learning algorithm
  - prediction target: accuracy, RMSE, ...

# Selecting a Learner by Meta Learning

- Used in the *Automatic System Construction* extension
- regression trained on
  - 90 datasets
  - 54 features
- Examples for features
  - number of instances/attributes
  - fraction of nominal/numerical attributes
  - min/max/average entropy of attributes
  - skewness of classes
  - ...





# Selecting a Learner by Meta Learning

- Used in the *Automatic System Construction* extension

**Automatic System Construction - Step 2 of 3**

Automatic System Construction Wizard  
Step 2: Select the classifiers you want to evaluate.

Dataset has 208 samples with 60 attributes. [Show Meta Features](#)

Classifier	Predicted Accuracy	Root Mean Squared Err...	Evaluate
Rule Induction	0.845	0.070	<input checked="" type="checkbox"/>
Neural Net	0.814	0.091	<input type="checkbox"/>
SVM	0.807	0.092	<input type="checkbox"/>
Decision Tree	0.788	0.088	<input type="checkbox"/>
k-NN	0.772	0.103	<input type="checkbox"/>
Naive Bayes	0.713	0.143	<input type="checkbox"/>

[Select All](#)

[Previous](#) [Next](#) [Finish](#) [Cancel](#)

# ...and now for something completely different.



- Recap: search heuristics are good for problems where...
  - finding an optimal solution is difficult
  - evaluating a solution candidate is easy
  - the search space of possible solutions is large
- Possible solution: genetic programming
- We have encountered such problems quite frequently
- Example: learning an optimal decision tree from data

# Genetic Decision Tree Learning

- e.g., GAIT (Fu et al., 2003)
  - also the source of the pictures on the following slides
- Population: candidate decision trees
  - initialization: e.g., trained on small subsets of data
- Create new decision trees by means of
  - crossover
  - mutation
- Fitness function: e.g., accuracy


# Genetic Decision Tree Learning

- Crossover:




# Genetic Decision Tree Learning

- Mutation:



# Genetic Decision Tree Learning

- Feasibility Check:





# Combination of GP with other Learning Methods

- Rule Learning (“Learning Classifier Systems”), since late 70s
  - Population: set of rule sets (!)
  - Crossover: combining rules from two sets
  - Mutation: changing a rule
- Artificial Neural Networks
  - Easiest solution: fixed network layout
  - The network is then represented as an ordered set (vector) of weights e.g., [0.8, 0.2, 0.5, 0.1, 0.1, 0.2]
  - Crossover and mutation are straight forward
  - Variant: AutoMLP
    - Searches for best combination of hidden layers and learning rate

# Parameter Optimization vs. Pruning

- Architecture of a neural network can be seen as parameters
  - How many hidden layers? Which size?
- Pruning approaches: train large network, then start eliminating connections



Han et al. (2015): Learning both Weights and Connections for Efficient Neural Network



# Wrap-Up

- Parameter tuning is important
  - many learning methods work poorly with standard parameters
  - often no global optimum, dataset dependent
- Parameter tuning has a large search space
  - trying all combinations is infeasible
  - interaction effects do not allow for one-by-one tuning

# Wrap-Up

- Heuristic Methods
  - Hill climbing with variations
  - Beam search
  - Simulated Annealing
  - Genetic Programming
- Other uses of genetic programming
  - Feature subset selection
  - Model fitting

# Next Steps DMC

- Register your team now
  - by sending an e-mail to Nico
- Task is out on Thursday
  - have a look as soon as possible
  - familiarize yourselves with the task and data
- We will have a first round of presentations **next week**
  - details will be announced
- Also next week
  - decision on evaluation metrics & protocol

# Questions?

