

Database Technology– FSS 2018

Exercise 9: Query Processing

9.1. Sort-merge

Apply the sort-merge algorithm to the following relation (sort it based on the first attribute). Show the runs created on each pass assuming that only one tuple fits in a block and memory holds at most 3 blocks.

kangaroo	17
wallaby	21
emu	1
wombat	13
platypus	3
lion	8
warthog	4
zebra	11
meerkat	6
hyena	9
hornbill	2
baboon	12

9.2 Optimized relational-algebra

Consider the following bank database:

```
branch(branch_name, branch_city, assets)
customer(customer_name, customer_street, customer_city)
loan(loan_number, branch_name, amount)
borrower(customer_name, loan_number)
account(account_number, branch_name, balance)
depositor(customer_name, account_number)
```

Write an efficient relational-algebra expression that is equivalent to the following SQL query:

```
SELECT T.branch_name
FROM branch T, branch S
WHERE T.assets > S.assets AND S.branch_city="Brooklyn"
```

Justify your choice.

9.3. Query costs

Let relations $r_1(A, B, C)$ and $r_2(C, D, E)$ have the following properties: r_1 has 20,000 tuples, r_2 has 45,000 tuples, 25 tuples of r_1 fit on one block, and 30 tuples of r_2 fit on one block. Estimate the number of block transfers and seeks required, using each of the following join strategies for $r_1 \bowtie r_2$:

- Nested-loop join.
- Block nested-loop join.
- Merge join.
- Hash join.

9.4. Query costs 2

Let r and s be relations with no indices, and assume that the relations are not sorted. Assuming infinite memory, what is the lowest-cost way (in terms of I/O operations) to compute $r \bowtie s$? What is the amount of memory required for this algorithm?

9.5. Index usage

Consider again the bank database of from exercise 9.2. Suppose that a B+-tree index on branch city is available on relation branch, and that no other index is available. List different ways to handle the following selections that involve negation:

- $\sigma_{\neg(\text{branch_city} < \text{"Brooklyn"})}(\text{branch})$
- $\sigma_{\neg(\text{branch_city} = \text{"Brooklyn"})}(\text{branch})$
- $\sigma_{\neg(\text{branch_city} < \text{"Brooklyn"} \vee \text{assets} < 5000)}(\text{branch})$

9.6. Query plans

Execute the following query on the university database from the second exercise:

```
SELECT student.ID, takes.grade
FROM student INNER JOIN takes ON(student.ID=takes.ID)
WHERE student.name = "Zhang" AND takes.year=2009
```

To do that

- Open your browser at <http://localhost/phpmyadmin/>
 - Click on the university database and open the SQL tab and execute the query
 - Click on "explain SQL"
- Find out what the columns contain
 - Formulate the query plan in text