

Semantic Web Technologies The Layer Cake and Beyond



Previously on Semantic Web Technologies

- What we would like to have:
$$\text{daughterOf}(X,Y) \leftarrow \text{childOf}(X,Y) \wedge \text{Woman}(X) .$$
- Rules are flexible
- There are rules in the Semantic Web, e.g.
 - Semantic Web Rule Language (SWRL)
 - Rule Interchange Format (RIF)
 - Some more
- Some reasoners do (partly) support rules




Semantic Web – Architecture



here be dragons...

Semantic Web
Technologies
(This lecture)


Technical
Foundations



Berners-Lee (2009): *Semantic Web and Linked Data*
<http://www.w3.org/2009/Talks/0120-campus-party-tbl/>

Towards Rules for the Semantic Web

- What we would like to have:
 - $\text{daughterOf}(X,Y) \leftarrow \text{childOf}(X,Y) \wedge \text{Woman}(X)$.
- OWL only gives an approximation:



- Semantic Web Rule Language
 - a rule language for the Semantic Web
 - built to be combined with OWL
- W3C Member Submission (2004)
 - not a standard in a strict sense
 - but widely adopted
- Tool support
 - many reasoners
 - Protégé



SWRL Building Blocks

- Classes are defined as *unary predicates*
 - `:Peter a :Person . \leftrightarrow Person(Peter)`
- Properties are defined as *binary predicates*
 - `:Peter :hasMother :Julia . \leftrightarrow hasMother(Peter,Mary)`
 - `:Peter :hatAge 24^^xsd:integer . \leftrightarrow hasAge(Peter,24)`

SWRL Rules

- Basic form:
 - Head (Consequence) \leftarrow Body (Condition)
- Body and head are conjunctions of predicates
- Variables are introduced by ?
- Example:
 - $\text{daughterOf}(\text{?X}, \text{?Y}) \leftarrow \text{childOf}(\text{?X}, \text{?Y}) \wedge \text{Woman}(\text{?X})$
- There is no
 - disjunction (logical or)
 - negation
 - unbound variables in the rule head
- ...but there are some ways out

Disjunctions in Rule Body

- There is no disjunction
- Example for disjunction in rule body:
 - Female faculty members are students or staff of the faculty
- Intuitive:
 - $\text{FemaleFacultyMember}(\text{?X}) \leftarrow \text{Woman}(\text{?X}) \wedge \text{Faculty}(\text{?Y}) \wedge (\text{worksAt}(\text{?X}, \text{?Y}) \vee \text{studentAt}(\text{?X}, \text{?Y}))$

Disjunctions in Rule Body

- Solution
 - first step: convert body to disjunctive normal form
 - i.e., disjunction of conjunctions
 - second step: split into individual rules

Disjunctions in Rule Body

- $\text{FemaleFacultyMember}(\text{?X}) \leftarrow \text{Woman}(\text{?X}) \wedge \text{Faculty}(\text{?Y}) \wedge (\text{worksAt}(\text{?X}, \text{?Y}) \vee \text{studentAt}(\text{?X}, \text{?Y}))$
- turns into
 - $\text{FemaleFacultyMember}(\text{?X}) \leftarrow (\text{Woman}(\text{?X}) \wedge \text{Faculty}(\text{?Y}) \wedge \text{worksAt}(\text{?X}, \text{?Y})) \vee (\text{Woman}(\text{?X}) \wedge \text{Faculty}(\text{?Y}) \wedge \text{studentAt}(\text{?X}, \text{?Y}))$
- ...which turns into
 - $\text{FemaleFacultyMember}(\text{?X}) \leftarrow \text{Woman}(\text{?X}) \wedge \text{Faculty}(\text{?Y}) \wedge \text{worksAt}(\text{?X}, \text{?Y})$
 - $\text{FemaleFacultyMember}(\text{?X}) \leftarrow \text{Woman}(\text{?X}) \wedge \text{Faculty}(\text{?Y}) \wedge \text{studentAt}(\text{?X}, \text{?Y})$

Disjunctions in Rule Head

- Disjunctions in rule head
 - are not so easy to get rid off
- Example
 - Every faculty member is a student or an employee
$$\text{Student}(\text{?X}) \vee \text{Employee}(\text{?X}) \leftarrow \text{FacultyMember}(\text{?X})$$
- On the other hand: what should a reasoner conclude?
 - disjunction in rule head does not make as much sense!

Disjunctions in Rule Head

- SWRL is meant to be used together with OWL
- Idea: build an artificial class for the rule head
 StudentOrEmployee owl:unionOf (Student Employee)
 StudentOrEmployee(?X) \leftarrow FacultyMember(?X)
- This way, we can conclude that ?X is in the union of both classes
 - Further reasoning on other axioms might rule out one option

Negation

- Negation can be simulated with a similar trick
- Example:
 - Creatures living in the water are not human.
- Intuitive:
 - $\neg \text{Human}(?X) \leftarrow \text{Creature}(?X) \wedge \text{habitat}(?X, \text{Water})$

Simulating Negation

- Again: combining SWRL and OWL
 - NonHuman owl:complementOf Human .
- New Rule:
 - $\text{NonHuman}(?X) \leftarrow \text{Creature}(?X) \wedge \text{habitat}(?X, \text{Water})$
- Now, a reasoner can find a contradiction between
 - $\text{:Nemo a :Creature; habitat :Water .}$
- and
 - :Nemo a :Human .

Simulating Negation

- Negation in the rule body:

$\text{FlightlessBird}(\text{?X}) \leftarrow \text{Bird}(\text{?X}) \wedge \neg \text{habitat}(\text{?X}, \text{Air})$

- Define class:

```
notAirHabitat owl:equivalentClass [  
  a owl:Restriction ;  
  owl:onProperty :habitat ;  
  owl:allValuesFrom [  
    owl:complementOf [ owl:oneOf (:Air) ] ] ]
```

$\text{FlightlessBird}(\text{?X}) \leftarrow \text{Bird}(\text{?X}) \wedge \text{NotAirHabitat}(\text{?X})$

Unbound Variables


- All variables appearing in the rule head must also appear in the body
 - those are *bound* variables
- Example: every human has a (human) father
 - $\text{Human}(\text{?Y}) \wedge \text{hasFather}(\text{?X}, \text{?Y}) \leftarrow \text{Human}(\text{?X})$
- In that case, the reasoner would have to create *new* instances for Y
 - Possible issue: termination
 - No easy solution in SWRL+OWL

SWRL Extensions and Built-Ins

- Comparison
 - $\text{olderThan}(\text{?X}, \text{?Y}) \leftarrow \text{hasBirthdate}(\text{?X}, \text{?BX}) \wedge \text{hasBirthdate}(\text{?Y}, \text{?BY}) \wedge \text{swrlb:lessThan}(\text{?BX}, \text{?BY})$
- Arithmetics
 - $\text{twiceAsOld}(\text{?X}, \text{?Y}) \leftarrow \text{hasAge}(\text{?X}, \text{?AX}) \wedge \text{hasAge}(\text{?Y}, \text{?AY}) \wedge \text{swrlb:multiply}(\text{?AX}, \text{?AY}, 2)$
- String operations
 - $\text{PeopleWithS}(\text{?X}) \leftarrow \text{hasName}(\text{?X}, \text{?N}) \wedge \text{swrlb:startsWith}(\text{?N}, \text{"S"})$

SWRL Extensions and Built-Ins

- Some reasoners also allow for custom built-ins
- E.g., for wiring a reasoner to external systems



SWRL Extensions and Built-Ins

- More use cases for custom built-ins
- Live data
 - Weather
 - Stock exchange
 - Product availability
- Complex computations
 - Trip duration from A to B (e.g., Google Maps API)
 - Simulations and predictions
 - ...

Monotonic Reasoning with SWRL

- Recap: monotonous vs. non-monotonous reasoning
 - monotonous: every consequence derived is true forever
 - non-monotonous: consequences may be revoked
- SWRL ist monotonous
 - i.e., consequences of all rules add up
 - allows for efficient reasoning
 - may lead to contradictions

Safety of Rules

- Termination guarantee of reasoning
 - So far
 - no new instances, classes, and properties are generated
 - This constrains the set of consequences which can be derived:
 - C*I type assertions
 - I*O*I object property assertions
 - I*D*L datatype property assertions
- in monotonous reasoning, the reasoner eventually terminates

Safety of Rules

- Consider this example:

```
:Person rdfs:subClassOf [  
  a owl:Restriction ;  
  owl:onProperty :hasFather ;  
  owl:cardinality 1^^xsd:integer ] .  
:hasFather rdfs:range :Person .  
:Grandchild rdfs:subClassOf :Person .
```

$\text{hasFather}(?x,?y) \wedge \text{hasFather}(?y,?z) \rightarrow \text{Grandchild}(?x)$

- Given
 :Peter a :Person .
- Do we derive GrandChild(Peter)?

Safety of Rules

- Possible solution:
 - We know that each person has a father
 - therefore:
`:Peter :hasFather _:p0 . _:p0 :hasFather _:p1 . :p1 ...`
 - and thus
`:Peter a :Grandchild .`
- What is the price of that solution?
 - We allow for the creation of new instances
 - i.e., we sacrifice guaranteed termination

Safety of Rules

- DL safe rules:
 - Variables are only bound to *existing* instances
 - No new instances are created
- Thus, we *cannot* derive
`:Peter a :Grandchild .`
- Once more: trading off
 - expressivity
 - decidability

Production Rules

- Sometimes, monotonous rules are not desirable
 - consider: if a student passes SWT, his/her credit increases by 6 ECTS
- A first attempt with SWRL + built-ins:
Student(?X) \wedge hasPassed(?X,:SWT)
 \wedge hasCredits(?X,?C) \wedge swrlb:add(?NC,?C,6)
 \rightarrow hasCredits(?X,?NC) .

Production Rules

- Consider:

```
:Peter a :Student .  
:Peter :hasCredits 26^^xsd:integer .  
:Peter :hasPassed :SWT .
```

- After applying the rule:

```
:Peter :hasCredits 32^^xsd:integer .
```

- But rules are monotonous, so the following holds as well:

```
:Peter :hasCredits 26^^xsd:integer .
```

- ...and the reasoner is done yet

Production Rules

- What happens:


```
:Peter :hasCredits 26^^xsd:integer .  
:Peter :hasCredits 32^^xsd:integer .  
:Peter :hasCredits 38^^xsd:integer .  
:Peter :hasCredits 44^^xsd:integer .  
:Peter :hasCredits 50^^xsd:integer .  
...
```

- We need to

- revoke/overwrite statements
 - in contrast to monotonous reasoning!
- define new criteria for termination

Rule Interchange Format

- Rule Interchange Format (RIF)
- Unification of
 - Basic Logic Rules (such as SWRL)
 - Production Rules (e.g., JENA rules)
- Standardized by W3C in 2010




Semantic Web – Architecture



here be dragons...

Semantic Web
Technologies
(This lecture)

Technical
Foundations



Berners-Lee (2009): *Semantic Web and Linked Data*
<http://www.w3.org/2009/Talks/0120-campus-party-tbl/>

Other Semantic Web Languages

- What else is out there?

> 50%
Nicht-
W3C-
Standard-
Sprachen!




Figure 5. Ontology languages currently used by users.

Cardoso (2006): The Semantic Web Vision – Where are We?

Other Semantic Web Languages

- There is a wild mix
 - of old and new languages
 - of different paradigms
 - of sophisticated languages and pure, low-level logic
- We will look at one example of a radically different language

F-Logic

- Main concept: *frames*
 - collection of properties of a class
 - similar to class and database models

Person	Mutter (Person)	Vater (Person)	Alter (int)
:Paul	:Martha	:Hans	24
:Martha	:Johanna	:Karl	47
...

F-Logic: A First Glance

- First observation:
 - relations are bound to class
 - in RDFS/OWL: first class citizens
- Inheritance
 - Relations are inherited to subclasses
 - Domain and range cannot be restricted any further
- Semantics
 - Closed world semantics
 - Negation can be used

F-Logic: Rules

- Almost everything is expressed in rules

- e.g., property chains:

```
uncleOf(?X, ?Z) :-  
    ?X:Man[siblingOf->?Y]  
    and ?Z[childOf->?Y] .
```

- Datalog-like syntax
- :- is used for implication \leftarrow
- Variables are denoted with ?

F-Logic: Quantifiers

- There are extensional and universal quantifiers
- Authors are persons who have written at least one book

```
?X:Author :- ?X:Person
    AND (EXIST ?Y ?Y:Book and ?X[hasWritten->?Y]).
```
- A non-author is a person who has not written any book
- ```
?X:NonAuthor :- ?X:Person
 AND NOT(EXIST ?Y ?Y:Book and ?X[hasWritten ->?Y]).
```
- A star author is an author who as *only* written bestsellers
- ```
?X[isStarAuthor->true] :- ?X:Author AND
    (FORALL ?Y
        (?X[hasWritten->?Y] --> ?Y:Bestseller) ) .
```

F-Logic: Negation

- Negation may have unwanted consequences
- Consider this example:
- `?X[hates->?Y] :-
 not(?X[likes->?Y] or ?X[doesntCare->?Y])) .
?X[likes->?Y] :- ?X[knows->?Y] and not(?X[hates->?Y]) .`
- Assume, the reasoner wants to prove `?X[likes->Stefan]` .
- Possible plan:
 - `?X[likes->Stefan]` .
 - `?X[knows->Stefan] and not(?X[hates->Stefan])) .`
 - `?X[knows->Stefan] and not(not(?X[likes->Stefan] or
?X[doesntCare->Stefan])) .`
 - `?X[knows->Stefan] and not(not(?X[knows->Stefan] and ...`

F-Logic: Decidability and Stratification

- F-Logic ontologies with negations can be undecidable
- Underlying problem:
 - Cycles of rules containing negations
- Simplest case
 - $p(X) \text{ :- not } (p(X)) \text{ .}$
- Test: Stratification
 - lat. *Stratum* (pl.: *Strata*): *Layer*
- Divide ontology into layers
- Each predicate is assigned to a layer
 - Classes are treated as unary predicates

F-Logic: Decidability and Stratification

- Assign a layer $S(p)$ to each predicate p
- Two conditions must be fulfilled:
 - for all rules which have p in their head and a non-negated predicate q in the body:
 $S(q) \leq S(p)$
 - for all rules which have p in their head and a negated predicate q in their body
 $S(q) < S(p)$
- If such an assignment can be found, the ontology is decidable

F-Logic: Decidability and Stratification

- Simple case:
- $?X[\text{hates} \rightarrow ?Y] \text{ :- not } (?X[\text{likes} \rightarrow ?Y]) \text{ .}$
 $?X[\text{knows} \rightarrow ?Y] \text{ :- } ?X[\text{likes} \rightarrow ?Y] \text{ .}$
- We have to ensure
 - $S(\text{likes}) < S(\text{hates})$
 - $S(\text{likes}) \leq S(\text{knows})$
- For those two rules, we can assign
 - $S(\text{likes}) = 0$
 - $S(\text{hates}) = 1$
 - $S(\text{knows}) = 0$

F-Logic: Decidability and Stratification

- We obtain the following layers

```
?X[hates->?Y] :- not(?X[likes->?Y]) .
```

Layer 1

```
?X[knows->?Y] :- ?X[likes->?Y] .
```

Layer 0

- Trivial observation
 - For ontologies without negation, one layer is enough!

F-Logic: Decidability and Stratification

- Back to the original example


```
?X[hates->?Y] :-  
    not(?X[likes->?Y] or ?X[doesntCare->?Y])) .  
?X[likes->?Y] :- ?X[knows->?Y] and not(?X[hates->?Y])  
.
```

- Can we find a stratification?
- We would need
 - $S(\text{likes}) < S(\text{hates})$
 - $S(\text{hates}) < S(\text{likes})$
- This is not possible!
 - The ontology cannot be stratified, i.e., it is undecidable!

Recap: Russell's Paradox


- A classic paradox by Bertrand Russell, 1918
- In a city, there is exactly one barber who shaves everybody who does not shave themselves.

Who shaves the barber?



F-Logic: Decidability and Stratification

- Russell's paradox in F-Logic:
 $\text{theBarber}[\text{shaves} \rightarrow ?X] \text{ :- not}(?X[\text{shaves} \rightarrow ?X]) .$
- We would need
 $S(\text{shaves}) < S(\text{shaves})$



Validating Datasets with RDF Shapes

- Ontology reasoning is good for semantic validation
 - but sometimes problematic due to semantic properties
 - i.e., closed world assumption, non unique name assumption
- To validate data quality
 - we want to ensure certain data is there
 - e.g., every person has a name
 - we want to ensure that data is not duplicated
 - e.g., every person has exactly one birth place
 - etc.

Validating Datasets with RDF Shapes

- Example dataset:
 :Mary a :Person .
 :Mary :birthPlace :Mannheim .
 :Mary :birthPlace :Berlin .
- Constraints in OWL:
 Person rdfs:subClassOf [
 a owl:Restriction .
 owl:onProperty :name .
 owl:minCardinality 1 .]
 Person rdfs:subClassOf [
 a owl:Restriction .
 owl:onProperty :birthPlace .
 owl:maxCardinality 1 .]

Shapes Constraint Language (SHACL)

- A W3C Standard since 2017
- For RDF *validation*
- Differences to reasoning
 - Closed world evaluation
 - Counting is possible
 - More fine-grained checks (see later)



Shapes Constraint Language (SHACL)

- Example dataset:

```
:Mary a :Person .  
:Mary :birthPlace :Mannheim .  
:Mary :birthPlace :Berlin .
```

- Constraints in SHACL:


```
:PersonShape  
  a sh:NodeShape ;  
  sh:targetClass :Person ;  
  sh:property [  
    sh:path :name ;  
    sh:minCount 1 ;  
    sh:datatype xsd:string ] ;  
  sh:property [  
    sh:path :birthPlace ;  
    sh:maxCount 1 ;  
    sh:class :City ] .
```

Shapes Constraint Languages

- Further possibilities
 - Dependencies between attributes
 - e.g., given name and first name are equivalent
 - Complex expressions involving paths and even SPARQL queries
 - Checking strings against regex patterns (e.g., phone numbers)
 - ...

Finale

- One of the current hot topics in Semantic Web research:
 - Embeddings




RDF Embeddings

- Challenge in RDF/OWL etc.:
 - How similar are two entities?
 - e.g., is Mannheim more similar to Karlsruhe than to Heidelberg?
- Application scenarios:
 - Recommender systems
 - Information retrieval

Excursion: word2vec



- Such approaches exist for words
 - aka, *word embeddings*
 - each word becomes a vector in a low-dimensional vector space
 - similar words are close in that vector space
 - semantic relations have a similar direction and length
 - allows for arithmetics, e.g., King – Man + Woman = Queen



(Mikolov et al., NAACL HLT, 2013)

word2vec

- General idea: similar words appear in similar contexts
- Training set: sequences from a text corpus
- Training method: neural network
- Training variants:
 - Continuous bag of words (CBOW): predict a word from its context
 - Skip-Gram: predict context from a word




Xin Rong: word2vec parameter learning explained

From word2vec to RDF2vec


- Generating sequences from an RDF dataset
 - by starting random walks from each entity
- Example:
 - dbr:Germany dbo:capital dbr:Berlin dbo:mayor dbr:Michael_Mueller
- Those are fed into a word2vec training engine
- Variants (Cochez et al., 2017)
 - replace “random” by “semi-random” walk
 - e.g., weight edges by frequency, PageRank, ...

From word2vec to RDF2vec

- Observation: similar properties hold for RDF2vec



a) DBpedia vectors




b) Wikidata vectors

Ristoski & Paulheim: RDF2vec: RDF Graph Embeddings for Data Mining, 2016


TransE and Descendants

- In RDF2vec, relation preservation is a by-product
- TransE: direct modeling
 - Formulates RDF embedding as an optimization problem
 - Find mapping of entities and relations to R^n so that
 - across all triples $\langle s, p, o \rangle$
 $\Sigma ||s+p-o||$ is minimized




Limitations of TransE

- Symmetric properties
 - we have to minimize $||\text{Barack} + \text{spouse} - \text{Michelle}||$ and $||\text{Michelle} + \text{spouse} - \text{Barack}||$ simultaneously
 - ideally, $\text{Barack} + \text{spouse} = \text{Michelle}$ and $\text{Michelle} + \text{spouse} = \text{Barack}$
 - Michelle and Barack become infinitely close
 - spouse becomes 0 vector




Limitations of TransE

- Transitive Properties
 - we have to minimize $||\text{Miami} + \text{partOf} - \text{Florida}||$ and $||\text{Florida} + \text{partOf} - \text{USA}||$, but also $||\text{Miami} + \text{partOf} - \text{USA}||$
 - ideally, $\text{Miami} + \text{partOf} = \text{Florida}$, $\text{Florida} + \text{partOf} = \text{USA}$, $\text{Miami} + \text{partOf} = \text{USA}$
 - Again: all three become infinitely close
 - partOf becomes 0 vector



Limitations of TransE


- Numerous variants of TransE have been proposed to overcome limitations (e.g., TransH, TransR, TransD, ...)
- Plus: embedding approaches based on tensor factorization etc.



A Look Back

- This is where we embarked on our Semantic Web Technologies journey in September:


In the eyes of a
human



```
<html>
...
<b>Dr. Mark Smith</b>
<i>Physician</i>
Main St. 14
Smalltown
Mon-Fri 9-11 am
Wed 3-6 pm
...
</html>
```

Dr. Mark Smith
Physician
Main St. 14
Smalltown
Mon-Fri 9-11 am
Wed 3-6 pm

in the eyes of a
computer




```
Print in bold: „hmf298hmmhuds“
Print in italics: „mj2i9ji0“
Print normal: „fdsah
02hfadsh0um2m0adsmf0ihm
asdfjkköfdsa298ndsfmij32mio
lk2mjpoimjiofdpmsajiomjm“
```


A Look Back

- Formal Semantics
 - Every entity has classes and relations to other entities
 - Those are defined in an ontology
 - Humans and computers can interpret those semantics
 - Computers give justification on reasoning results
- Embeddings
 - Every entity is an n -dimensional vector
 - We do not know about the meaning of the dimensions
 - Results are often good, but hard to justify


The 2009 Semantic Web Layer Cake



The 2018 Semantic Web Layer Cake



Towards Semantic Vector Space Embeddings



The Holy Grail

- Combine semantics and embeddings
 - e.g., directly create meaningful dimensions
 - e.g., learn interpretation of dimensions a posteriori
 - ...



Summary

- OWL and OWL 2 are not the end
 - Rules create more possibilities
- Other (non W3C standard) languages have also been also proposed
 - different semantic paradigms (e.g., F-Logic)
 - different problem setting (e.g., SHACL)
- Recent trend
 - using vector space embeddings
 - challenge: combine interpretable semantics and embeddings

Recommendations for Upcoming Semesters

- Information Retrieval and Web Search (next FSS), Prof. Glavaš
- Web Data Integration (HWS), Prof. Bizer
- Relational Learning (HWS), Prof. Stuckenschmidt
- Text Analytics (HWS), Prof. Glavaš
- Web Mining (FSS 2020), Prof. Ponzetto

Questions?

